


Measurement Conversion Chart



Period Information

^(*period_info;Expression;FieldName)

Additional Field Options

Course_Name	Current_Percent;Q1
Course_Number	Section_Number
Citizenship	Teacher_Comment
Current Grade;Q1	Room

Example:

^(*period_info;1(A);teacher_name)


School Information

^([39]name)
 ^([39]schooladdress)
 ^([39]schoolcity)
 ^([39]schoolstate)
 ^([39]schoolzip)
 ^([39]schoolphone)
 ^([39]schoolfax)
 ^([39]Principal)
 ^([39]AssistPrincipal)

Smart Pronouns

^([39]He/She)
 ^([39]he/she)
 ^([39]His/Hers)
 ^([39]his/hers)
 ^([39]him/her)
 ^([39]Son/Daughter)
 ^([39]son/daughter)

Stored Grades



Miscellaneous

<tabr 2.0>	^[ip address]	^(field;if.blank.then=)
<tabl 2.0>	^[version]	^(field;if.fieldvalue.XX.then=)
<tabc 2.0>	^[reportname]	^(field;if.not.blank.then=)
<tabd 2.0>	^[pagenumber]	
<tabto 2.0>	^[Date]	^(abbyearterm)
<moveto 2.0,5.75>	^[Short.Date]	^(yearabbr)
	^[Letter.Date]	^(yearname)
^(age)	^[time]	^(termabbr)
^(age;long)		^(termname)

GPA, Honor Roll, Class Rank

GPA Methods

^(*gpa method="AP honors" term="S1" year="2002")
^(*gpa method="weighted" type="cumulative" grade="10"
credittype="MAT")
^(*gpa method="weighted" type="cumulative" grade="12"
credittype="CORE")

Options:

^(*gpa method="weighted") ^(*gpa Grade="10,11")
^(*gpa type="cumulative") ^(*gpa Year="2002")
^(*gpa Term="S1") ^(*gpa Year="2002,2003")
^(*gpa Term="S1,S2") ^(*gpa Grade="10")
^(*gpa Credittype="Math") ^(*gpa Scale="AP")
^(*gpa Year="Math,Sci")

Honor Roll Methods

^(*honorroll method="High School" term="Q3" grade="11" result="gpa")

Options:

^(*gpa Method="HS Honors" Term="S1")
^(*gpa Method="HS Honors" Term="S1" Grade="10")
^(*gpa Method="HS Honors" Term="S1" Result="Level")

Class Rank

^(*class_rank_out_of; *gpa method="simple")

Standards

^(*std.info.name; LA.1.1)
^(*std.info.desc; LA.1.1)
^(*std.info.type; LA.1.1)
^(*std.num; LA.1.1)
^(*std.stored.avg; LA.1.1; Q1)
^(*std.stored.high; LA.1.1; Q1)
^(*std.stored.num; LA.1.1; Q1)
^(*std.stored.transavg; LA.1.1; Q1)
^(*std.stored.transhigh; LA1.1; Q1)

Attendance

^(per.att;P3(R);abs;Q1)
^(per.att;P3(R);abs;9/5/04;12/15/04)

^(attpointsperiod;P3)
^(attpointsperiod;P3(R);abs)
^(attpointsperiod;P3(R);abs;9/12/04;12/15/04)

^(dates.of.attendance;P3)
^(dates.of.attendance;P3(R);abs)
^(dates.of.attendance;P3(R);*abs;9/14/04;12/15/04;MM/DD/YY)

^(dates.of.attendance;P3(R);br.code)
^(dates.of.attendance;P3(R);br;A)
^(dates.of.attendance;P3(R);br;AXU)
^(dates.of.attendance;P3(R);br;*abs;Q1)

^(daily.att.count;current;A;S1)
^(daily.att.count;current;A;9/5/04;9/15/04)

^(daily.att.points;all)
^(daily.att.points;current)
^(daily.att.points;current;Tardy,Excused)

^(*DA;T1)
^(*DABS;T1)
^(*DM;T1)

Decode

^(decode;fieldname;value;replace;value;replace;else)

Examples:

^(decode;^(gender);M;Male;F;Female;)
^(decode;^(grade_level);9;Fresh;10;Soph;11;Jun;12;Sen;)

Test Tags

Reporting the "First, Last or Best" test scores:

First:

^(tests;name=xxx;score=English;which=first;type=num;result=value)

Last:

^(tests;name=xxx;score=English;which=last;type=num;result=value)

Best:

^(tests;name=xxx;score=English;which=best;type=num;result=value)

ACT – Best English Score:

Example:

^(tests;name=ACT;score=English;which=best;type=num;result=value)

SAT – Last Math Score:

Example:

^(tests;name=SAT;score=Math;which=Last;type=num;result=value)

ACT – First Test Date:

Example:

^(tests;name=ACT;which=first;type=num;result=date)

SAT – Last Test Date:

Example:

^(tests;name=SAT;which=last;type=num;result=date)

Note: With test codes only First, Last and Best Scores can be reported.

Class Roster Tags

^(pg.final.grade;Q1)

^(pg.final.percent;Q1)

^(historical;Q1;grade)

^(historical;Q1;percent)

^(historical;Q1;earnedchrhs)

^(att;abs;Q1)

^(att;tar;Q1)

^([courses]course_name)

Use class roster tags to pull information onto the class roster from any of the following tables: Teachers, Courses, Terms and Schools.

Credit Hours

^(*credit_hours)

^(*credit_hours.credit_type,ENG)

^(*credit_hours.credit_type,MATH)

^(*credit_hours;9)

^(*credit_hours;9;S1)

^(*credit_hours;11,12)

^(*potential_credit_hours)

^(*potential_credit_hours;9)